
pycmx Documentation

Release 1.2.1

Jamie Hardt

Nov 08, 2023

API REFERENCE

1	Parse Function	1
2	pycmx Classes	3
3	Indices and tables	7
	Index	9

PARSE FUNCTION

`pymx.parse_cmh_events.parse_cmh3600(f: TextIO)`

Parse a CMX 3600 EDL.

Parameters

f (*TextIO*) – a file-like object, anything that's readlines-able.

Returns

An `pymx.edit_list.EditList`.

PYCMX CLASSES

class pycmx.edit_list.**EditList**(*statements*)

Represents an entire edit decision list as returned by `parse_cmx3600()`.

property channels: [*ChannelMap*](#)

Return the union of every channel channel.

property events: [*Generator*](#)[[*Event*](#), None, None]

A generator for all the events in the edit list

property format: **str**

The detected format of the EDL. Possible values are: “3600”, “File32”, “File128”, and “unknown”.

property sources: [*Generator*](#)[[*Source*](#), None, None]

A generator for all of the sources in the list

property title: **str**

The title of this edit list.

property unrecognized_statements: [*Generator*](#)[[*Unrecognized*](#), None, None]

A generator for all the unrecognized statements in the list.

class pycmx.event.**Event**(*statements*)

Represents a collection of [*Edit*](#) s, all with the same event number.

property edits: [*List*](#)[[*Edit*](#)]

Returns the edits. Most events will have a single edit, a single event will have multiple edits when a dissolve, wipe or key transition needs to be performed.

property number: **int**

Return the event number.

property unrecognized_statements: [*Generator*](#)[[*Unrecognized*](#), None, None]

A generator for all the unrecognized statements in the event.

class pycmx.edit.**Edit**(*edit_statement*, *audio_ext_statement*, *clip_name_statement*, *source_file_statement*, *trans_name_statement*=None)

An individual source-to-record operation, with a source roll, source and recorder timecode in and out, a transition and channels.

property aux_source: **bool**

An auxiliary source is the source of this event.

property black: **bool**

Black video or silence should be used as the source for this event.

property channels: *ChannelMap*

Get the ChannelMap object associated with this Edit.

property clip_name: `str` | `None`

Get the clip name, as attested by a “* FROM CLIP NAME” or “* TO CLIP NAME” remark on the EDL. This will return None if the information is not present.

property line_number: `int`

Get the line number for the “standard form” statement associated with this edit. Line numbers are zero-indexed, such that the “TITLE:” record is line zero.

property record_in: `str`

Get the record in timecode.

property record_out: `str`

Get the record out timecode.

property source: `str`

Get the source column. This is the 8, 32 or 128-character string on the event record line, this usually references the tape name of the source.

property source_file: `str` | `None`

Get the source file, as attested by a “* SOURCE FILE” remark on the EDL. This will return None if the information is not present.

property source_in: `str`

Get the source in timecode.

property source_out: `str`

Get the source out timecode.

property transition: *Transition*

Get the Transition object associated with this edit.

class `pymx.transition.Transition(transition, operand, name=None)`

A CMX transition: a wipe, dissolve or cut.

property cut: `bool`

True if this transition is a cut.

property dissolve: `bool`

True if this transition is a dissolve.

property effect_duration: `int`

The duration of this transition, in frames of the record target.

In the event of a key event, this is the duration of the fade in.

property key_background: `bool`

True if this edit is a key background.

property key_foreground: `bool`

True if this edit is a key foreground.

property key_out: `bool`

True if this edit is a key out. This material will be removed from the key foreground and replaced with the key background.

property kind: `str | None`

Return the kind of transition: Cut, Wipe, etc

property wipe: `bool`

True if this transition is a wipe.

property wipe_number: `int | None`

Wipes are identified by a particular number.

class `pymx.channel_map.ChannelMap(v=False, audio_channels={})`

Represents a set of all the channels to which an event applies.

property a1: `bool`

True if A1 is included

property a2: `bool`

True if A2 is included

property a3: `bool`

True if A3 is included

property a4: `bool`

True if A4 is included

property audio: `bool`

True if an audio channel is included

property channels: `Generator[int, None, None]`

A generator for each audio channel

get_audio_channel(*chan_num*) \rightarrow `bool`

True if *chan_num* is included

set_audio_channel(*chan_num*, *enabled: bool*)

If *enabled* is true, *chan_num* will be included

property video: `bool`

True if video is included

INDICES AND TABLES

- `genindex`
- `search`

INDEX

A

a1 (*pycmx.channel_map.ChannelMap* property), 5
a2 (*pycmx.channel_map.ChannelMap* property), 5
a3 (*pycmx.channel_map.ChannelMap* property), 5
a4 (*pycmx.channel_map.ChannelMap* property), 5
audio (*pycmx.channel_map.ChannelMap* property), 5
aux_source (*pycmx.edit.Edit* property), 3

B

black (*pycmx.edit.Edit* property), 3

C

ChannelMap (class in *pycmx.channel_map*), 5
channels (*pycmx.channel_map.ChannelMap* property), 5
channels (*pycmx.edit.Edit* property), 3
channels (*pycmx.edit_list.EditList* property), 3
clip_name (*pycmx.edit.Edit* property), 4
cut (*pycmx.transition.Transition* property), 4

D

dissolve (*pycmx.transition.Transition* property), 4

E

Edit (class in *pycmx.edit*), 3
EditList (class in *pycmx.edit_list*), 3
edits (*pycmx.event.Event* property), 3
effect_duration (*pycmx.transition.Transition* property), 4
Event (class in *pycmx.event*), 3
events (*pycmx.edit_list.EditList* property), 3

F

format (*pycmx.edit_list.EditList* property), 3

G

get_audio_channel() (*py-cmx.channel_map.ChannelMap* method), 5

K

key_background (*pycmx.transition.Transition* property), 4
key_foreground (*pycmx.transition.Transition* property), 4
key_out (*pycmx.transition.Transition* property), 4
kind (*pycmx.transition.Transition* property), 4

L

line_number (*pycmx.edit.Edit* property), 4

N

number (*pycmx.event.Event* property), 3

P

parse_cmx3600() (in module *py-cmx.parse_cmx_events*), 1

R

record_in (*pycmx.edit.Edit* property), 4
record_out (*pycmx.edit.Edit* property), 4

S

set_audio_channel() (*py-cmx.channel_map.ChannelMap* method), 5
source (*pycmx.edit.Edit* property), 4
source_file (*pycmx.edit.Edit* property), 4
source_in (*pycmx.edit.Edit* property), 4
source_out (*pycmx.edit.Edit* property), 4
sources (*pycmx.edit_list.EditList* property), 3

T

title (*pycmx.edit_list.EditList* property), 3
Transition (class in *pycmx.transition*), 4
transition (*pycmx.edit.Edit* property), 4

U

unrecognized_statements (*pycmx.edit_list.EditList* property), 3

`unrecognized_statements` (*pymx.event.Event* property), 3

V

`video` (*pymx.channel_map.ChannelMap* property), 5

W

`wipe` (*pymx.transition.Transition* property), 5

`wipe_number` (*pymx.transition.Transition* property), 5